


Generation of light - Light sources



Black-body radiation

Luminescence

Laser



Luminescence

Repetition

Types of energy states in atoms and molecules are independent
(not coupled)

Energy states are non-continuous, but discrete

Transition between states involves packets (quanta) of energy)

$$E_{total} = E_e + E_v + E_r$$


Scales of transition energies between different states are different:

$$E_e > E_v > E_r$$




Consider a single atom

- Energy states are discrete
- Electrons occupy the lowest possible energy state (ground state)
- Pauli exclusion principle: no two identical fermions (particles with half-integer spin) may occupy the same quantum state simultaneously



Excitation modes

- absorption of radiation (UV/VIS) : *photoluminescence*
- chemical reaction: *chemo/bio-luminescence*
- Injection of charges: *electroluminescence*
- friction (mechanical deformation): *triboluminescence*
- thermally activated ion recombination: *thermoluminescence*
- Sound waves: *sonoluminescence*




Luminescence: spontaneous light photon emission by electrons when they return from their excited state to their original (ground) state of lower energy

$$hf = E_1 - E_0$$

The emitted photon energy is characteristic for the electronic orbitals, thus for the atom/molecule.

The energy of the electronic orbitals in molecules is perturbed by the discrete states of molecular vibrations



Fluorescence


De-excitation by photon emission between singlet states

First excited singlet state
the spin states of the electrons
sum of all e^- spin quantum numbers=0



Kasha's rule:

fluorescence originates always from the vibrational state of lowest energy within the lowest electronic excited state.




Fluorescence

De-excitation by photon emission between singlet states

$$E_{\text{excitation}} \geq E_{\text{fluorescence}}$$

$$\lambda_{\text{excitation}} \leq \lambda_{\text{fluorescence}}$$

Stokes-shift




Phosphorescence

spontaneous light photon emission from metastable excited state

sum of all e^- spin quantum numbers=1

Metastable state

Emitted photon energies



Fluorescence

Phosphorescence

$$E_{\text{excitation}} \geq E_{\text{fluorescence}} > E_{\text{phosphorescence}}$$


$$\lambda_{\text{excitation}} \leq \lambda_{\text{fluorescence}} < \lambda_{\text{phosphorescence}}$$

Stokes-shift

Characteristics of emitted light

Wavelength distribution of emitted light


Emission spectrum



Wavelength distribution of emitted light

Emission spectrum


molecules: band spectrum




$$\lambda_{\text{excitation}} \leq \lambda_{\text{fluorescence}} < \lambda_{\text{phosphorescence}}$$

Stokes shift

E.g.: Corresponding spectra of triptophane



Excited-state lifetime




Single photon counting

Measuring of time gap between excitation and photon emission. Statistical analysis of large number of measurements.


Typical excited-state lifetimes

Lifetime

the time during which the number of excited electrons decreases to its e^{th} .



Number of excited electrons $\rightarrow N = N_0 e^{-\frac{t}{\tau}}$ ← time after excitation
- Exponential function



τ : life time

the time during which the number of excited electrons decreases to its e^{th} .


Is excitation always followed by photon emission?

Excited state decay can be caused by mechanisms other than photon emission and are therefore often called "non-radiative rates,,.

These can include: chemical reaction, dynamic collisional quenching, near-field dipole-dipole interaction, internal conversion and intersystem crossing.

Is excitation always followed by photon emission?

Quantum yield



Reciprocal of the number of absorbed photons for one photon emission

Fluorescence quantum yield (Q_F)

$$Q_F = \frac{\text{number of photons emitted}}{\text{numbe. of photons absorbed}}$$

$$Q_F \leq 1$$

Types of luminescence

- fluorescence
- phosphorescence

They can be characterized by
emission spectrum

- types
- position of peaks
- amplitude



- lifetime
- quantum yield

Application fields of luminescence


- Light sources (lightning, fertilization, sunbeds, photomedicine...)
- concentration determination (flame photometer)
- luminescence spectroscopy
- luminescence microscopy
- dosimetry (see later)
- archeology
- architecture
- safety control ... many more

Luminescent light sources

Metal vapor lamps




Low-pressure Na-vapor lamp



High-pressure Na-vapor lamp

Low-pressure Hg-vapor lamp




Emission spectrum




„germicid lamp”



Application in dental medicine



Red fluorescence indicates the activity of identifies cariogenic bacteria



Auto-fluorescence of teeth. When teeth are illuminated with high intensity blue light they will start to emit light in the green part of the spectrum.



amalgam restoration




Healthy and malignant tissues different fluorescent properties



Tooth native and fluorescent image


Teeth native and fluorescent images



Active caries

caries

Luminescent microscopy



Laboratory application in many ways



And more...



Damjanovich, Fidy, Szöllősi: Medical Biophysics

II. 2.2

2.2.4

2.2.6

VI.3.3

3.3.1

3.3.2 pp. 411-413

3.3.3