




Magnetism and Electromagnetic Induction

Nikoletta Kósa


**Department of Biophysics and
Radiation Biology**

2020.10.02




How Animals Sense Magnetism

The Earth's Magnetic Field



Natural magnetism




lodeston



magnetit



Ancient
compass,
China, 220 BC







Magnetic Field of Magnets

Interaction Between Magnetic Poles





Magnetic Flux Density





$$M_{MAX} \sim A \times I \times N$$

$$B = \frac{M}{N \times I \times A} \quad \text{T (Tesla)}$$


Magnetic flux

$$\Phi = B \times A \quad \text{Wb (Weber)}$$




Magnetic field lines

The Magnetic Effect of Electric Current



$$B = \frac{\mu_0}{2\pi} \times \frac{I}{r}$$

- Ferromagnets
- Paramagnets
- Diamagnets




$$B = \mu_0 \times \frac{I \times N}{l}$$

Lorentz Force



Faradays Law of Induction



$$U = N \times \frac{\Delta\Phi}{\Delta t}$$

Electromagnetic Induction (motional)



Neumann's Law

$$U = B \times l \times v$$

Lenz's Law

$$U = -B \times l \times v$$

Induced Electric Field





$$U = L \times \frac{\Delta I}{\Delta t}$$

$$L = U \times \frac{\Delta t}{\Delta I} \quad \text{H (Henry)}$$

$$W = \frac{1}{2} \times L \times I^2$$

LC-Circuit





Problems:

1. Which quantity characterizes the strength of a magnet? **magnetic moment**
2. Compare the electric and magnetic interactions. Which statement is correct?
A: Like electric charges attract but like magnetic poles repel.
B: While electric charges may exert attractive or repulsive force, magnets may exert only attractive.
C: Electric charges can be isolated from each other but magnetic poles cannot.
D: Magnetic poles can be isolated from each other but electric charges cannot.
3. Which quantity characterizes the strength of a magnetic field (sometimes called magnetic field by itself)? **magnetic flux density (B)**
4. What is the SI unit of magnetic flux density (B)?
A: tesla (T) **B:** volt (V) **C:** ampere (A) **D:** Siemens (S)

5. A magnet is placed in an external magnetic field. By what factor would the strength of the interaction between them increase if both the magnet's moment and the magnetic flux density of the external field is doubled?
A: 1 B: 2 C: 4 D: 8

6. How can a nearly homogeneous magnetic field be created?

a conductor coil with current flowing through it

7. What is the phenomenon "electromagnetic induction"?

A:. Creating a magnetic field with a coil.

B: The magnetization of a body.

C: Creating an electric field with a changing magnetic field.

D: The orientation of compasses using an external magnetic field.

8. Consider the second Figure in the paragraph about "electromagnetic induction". In which case is there no electric current induced in the second coil?

A: There is constant current flowing in the first coil while the second coil is moved toward the first.

B: There is constant current flowing in the first coil while it is moved toward the second coil.

C: Both coils are motionless, and an increasing current is flowing in the first.

D: Both coils are motionless, and a constant current is flowing in the first.

9. What is the name of the phenomenon when a voltage is induced in a coil because of the changing current flowing through it? **Self-induction**

10. What are the components of an ideal resonant circuit? **coil and capacitor (without ohmic resistor)**

Thank you!

